




EMERGENCY LIGHTING LINEAR LIGHT

Reliability and elegance were the main considerations in the development of the new Linear Light series .

The modern, minimal and linear style make the LINEAR LIGHT series ideal for any architectural project. High quality guarantees supreme reliability.

- Maintained operation
- Autonomous duration 1h, 3h, 8h hours
- Self-testing



European
manufacturer



www.olympia-electronics.com



for a safer world!



EMERGENCY LIGHTING LINEAR LIGHT

Architectural minimal design, soft diffusion of light, compatible with linear LED lighting, lens suitable for lighting escape routes, possibility of installation for lighting fire safety devices (call points, extinguishers, first aid kits).

Lamps
LED

Construction material
Polycarbonate

Mounting methods
Wall or ceiling mounting
Ceiling hanging mounting


Autonomous duration
1, 3 or 8 hours

Automatic capacity test
All self-testing luminaries are equipped with a control system that automatically performs monitoring procedures according to EN 62034.

Placements
Hotels, malls, shops, offices, public services buildings, etc.




Dimensions in cm



Series	Length	Width	Height
LINEAR LIGHT	26cm	3,5cm	6cm

Power supply

230V AC
Easy connection with detachable base





Description	KLIN-20/ST* Self-testing, maintained, IP44	KLIN-20/ST/ADR* Self-testing, addressable, maintained, IP44	KLIN-20/ST/WL* Self-testing, wireless, maintained, IP44
Code	922502057	922502058	922502059
Consumption		3,9W/4,4VA	
Light source power (mains/emergency)		mains 80lm emergency 1h 250lm / 3h 110lm / 8h 15lm	
Autonomous duration		1h / 3h / 8h hours	
Battery NiMh		3,6V/1,2Ah	

Accessories that contained in the package

Code	Description
927321380	A-2138 Accessory for wall mounting (white)
927321370	A-2137 Accessory for ceiling mounting (white)

Accessories after order

Code	Description
927321300	A-2130 Set of accessories (1m) for ceiling mounting (white)
927321310	A-2131 Set of accessories (0,5m) for ceiling mounting (white)
927321320	A-2132 Set of accessories (0,25m) for ceiling mounting (white)
927321330	A-2133 Accessory for vertical wall mounting (white)
927321360	A-2136 Accessory set for ceiling mounted hanging installations with 2,5m cable (white)

Replacements

Code	Description
601103612	A-965/HT Battery 3,6V / 1,2Ah NiMh




A-2138



A-2137



A-2130, A-2131, A-2132




A-2133



A-2136

Mounting methods with the accessories **that contained in the package**


Hanging (ceiling) mounting with the A-2137



Ceiling mounting




Ceiling mounting with the A-2138




Mounting methods with the accessories **after order**

Flag mounting on wall with the A-2133



Hanging ceiling mounting with 1,2m cable A-2136



Hanging ceiling mounting up to 1m with the A-2130, A-2031, A-2132

